## stainless steel seamless butt weld fittings

NPS/NB (in)	EQUA	L TEES		END	CAPS	
	SCH 10S	SCH 40S	SCH 80S	SCH 10S	SCH 40S	SCH 80S
1/2	<b>V</b>	<b>✓</b> *	<b>✓</b> *	<b>V</b>	<b>✓</b> *	<b>✓</b> *
3/4	~	<b>✓</b> *	<b>✓</b> *	<b>✓</b>	<b>✓</b> *	<b>✓</b> *
1	<b>~</b>	<b>✓</b> *	✓*	~	<b>✓</b> *	<b>✓</b> *
11/4	~	~	_	~	<b>✓</b>	_
1½	<b>~</b>	<b>✓</b> *	<b>✓</b> *	~	<b>✓</b> *	<b>✓</b> *
2	<b>✓</b> *	✓*	✓*	<b>✓</b> *	<b>✓</b> *	✓*
2½	<b>✓</b>	~	_	_	<b>~</b>	-
3	✓*	✓*	✓*	<b>✓</b> *	<b>✓</b> *	✓*
4	✓*	✓*	✓*	<b>✓</b> *	✓*	✓*
6	<b>✓</b> *	✓*	_	<b>✓</b> *	✓*	_
8	-	_	_	<b>/</b> *	<b>V</b>	-
10	_	_	_	<b>✓</b> *	_	-
12	_	_	_	<b>✓</b> *	_	_



SEAMLESS BUTT WELD FITTINGS ASTM A403, 316L

NPS/NB (in)	90° LR ELBOWS		45° LR E	45° LR ELBOWS		STUB ENDS		
	SCH 10S	SCH 40S	SCH 80S	SCH 10S	SCH 40S			SCH OS
1/2	<b>~</b>	<b>✓</b> *	<b>✓</b> *	V	<b>✓</b> *		/	<b>/</b>
3/4	<b>✓</b>	✓*	<b>✓</b> *	~	✓*		/	<b>/</b>
1	<b>/</b>	✓*	✓*	V	✓*		/	<b>/</b>
11/4	<b>✓</b>	<b>✓</b>	_	<b>'</b>	~		/	<b>/</b>
11/2	<b>/</b>	✓*	<b>✓</b> *	V	<b>✓</b> *	·	/	<b>/</b>
2	<b>✓</b> *	✓*	✓*	<b>✓</b> *	✓*		/	<b>/</b>
21/2	<b>V</b>	<b>V</b>		V	~	·	/	<b>/</b>
3	<b>✓</b> *	✓*	✓*	<b>✓</b> *	✓*	٠	/	_
4	✓*	✓*	✓*	<b>✓</b> *	<b>✓</b> *		/	<b>/</b>
5	-	_	-	_	_		/	_
6	<b>✓</b> *	<b>✓</b> *	-	<b>✓</b> *	<b>✓</b> *	•	/	<b>/</b>
8	✓*	_	_	_	_	-	_	_

<sup>\*</sup>Also stock from European sources.

## stainless steel seamless butt weld fittings



SEAMLESS BUTT WELD FITTINGS ASTM A403, 304L





SEAMLESS BUTT WELD FITTINGS ASTM A403, 304L

NPS/NB (in)	EQUA	L TEES	END (	END CAPS	
	SCH 10S	SCH 40S	SCH 10S	SCH 40S	
1/2	<b>/</b>	<b>✓</b> *	_	-	
3/4	<b>✓</b>	<b>✓</b> *	_	_	
1	<b>~</b>	✓*	<b>/</b>	-	
11/4	<b>✓</b>	✓*	_	_	
1½	<b>V</b>	-	<b>/</b>	-	
2	✓*	<b>✓</b> *	<b>✓</b> *	_	
2½	<b>V</b>	<b>V</b>		<b>V</b>	
3	<b>✓</b> *	<b>✓</b> *	<b>✓</b> *	_	
4	<b>✓</b> *	<b>✓</b> *	<b>✓</b> *	-	

NPS/NB (in)	90	° LR ELBOWS	
	SCH	SCH	
	10S	40S	
1/2	<b>/</b>	<b>✓</b> *	
3/4	<b>✓</b>	_	
1	<b>V</b>	<b>✓</b> *	
11/4	<b>✓</b>	~	
11/2	<b>~</b>	<b>✓</b> *	
2	✓*	<b>✓</b> *	
21/2	<b>✓</b> *	<b>~</b>	
3	✓*	<b>✓</b> *	
4	✓*	<b>✓</b> *	
6	✓*	_	
8	<b>✓</b> *	_	
NPS/NB		CON RED *A/s	30 S

NPS/NB		CON RED
(in)		
	SCH	SCH
	108	40S
3/4 <b>X</b> 1/2	~	<b>✓</b> *
1 x ½	~	<b>✓</b> *
1 x 3/4	~	<b>✓</b> *
1½ x 1	~	<b>✓</b> *
2 x 1	~	<b>/</b> *
2 x 1½	~	<b>✓</b> *
3 x 2	<b>/</b> *	✓* ✓
4 x 2	✓*	<b>✓</b>
4 x 3	<b>✓</b> *	_
6 x 3	✓* ✓*	_
6 x 4	<b>/</b> *	_

## stainless steel seamless butt weld fittings

NPS/NB (in)	CON RED					
	SCH	SCH	SCH			
	10S	40S	80S			
3/4 X ½	~	<b>✓</b> *	<b>✓</b> *			
1 x ½	~	✓*	<b>✓</b> *			
1 x ¾	~	✓*	_			
11/4 x 1	~	✓*	-			
11/4 x 3/4	~	<b>V</b>	_ ✓*			
1½ x ½	~	<b>✓</b> *	<b>✓</b> *			
1½ x ¾	~	<b>✓</b> *	<b>✓</b> *			
1½ x 1	~	~	✓* ✓*			
1½ x 1¼	~	~	~			
2 x 3/4	~	✓*	_			
2 x 1	~	✓*	✓*			
2 x 11/4	~	~	_ /*			
2 x 1½	~	<b>✓</b> *	<b>✓</b> *			
2½ x 1	<b>✓</b> *	_	_			
2½ x 1½	~	<b>✓</b> *	_			
2½ x 2	~	<b>✓</b> *	_			
3 x 1	~	✓* ✓*	_			
3 x 1½	~	<b>✓</b> *	_			
3 x 2	✓*	<b>/</b> *	✓* ✓*			
4 x 2	. /*	<b>/</b> *	✓*			
4 x 2½	~	~	_			
4 x 3	✓* ✓*	✓* ✓*	_			
6 x 3	✓*	✓*	-			
6 x 4	✓*	<b>✓</b> *	_			

<sup>\*</sup>Also stock from European sources.



SEAMLESS BUTT WELD FITTINGS ASTM A403, 316L

## Weights

All weights shown in this publication are for guidance only. They are calculated using nominal dimensions and are scientifically recognised densities. Please note that in practice, the actual weight can vary significantly from the theoretical weight due to variations in manufacturing tolerances and compositions.

The information contained herein is based on our present knowledge and experience and is given in good faith. However, no liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

As the products detailed herein may be used for a wide variety of purposes and as the Company has no control over their use, the Company specifically excludes all conditions and warranties expressed or implied by statute or otherwise as to dimensions, properties and/or their fitness for any particular purpose. Any advise given by the Company to any third party is given for that party's assistance only and without any liability on the part of the Company.

Any contract between the Company and the customer will be subject to the Company's Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in those Conditions; a copy of which is available on request.



